Gas Log Sets for Hearth Systems

The convenience of gas meets the experience of an open hearth.





True to Life and Hassle-Free

Enjoy a bold, multilevel fire just like a wood fireplace but without the mess or hassle. Our log sets feature up to 12 hand-painted logs molded from real oak in multiple styles—with a durable burner system for pushbutton ease.


You get the look of a traditional, open-hearth fireplace plus the cleanness of gas with touch control. A gas log set doesn't overheat the room or require any change in the appearance or structure of your fireplace. Instead it delivers a realistic, room-enhancing fire at any moment, any day of the year.



THREE EASY STEPS TO GETTING THE LOOK YOU WANT:

STEP 1: MEASURE CAREFULLY

If you already have a Heat & Glo wood-burning fireplace, or are purchasing a new model, simply refer to the sizing chart in this brochure to find your specific model. Otherwise, take measurements of your fireplace floor (front width, depth and back width; refer to the drawing at right). Then bring the dimensions to your nearest Heat & Glo dealer.



STEP 2: SELECT A BURNER (HEARTH KIT)

Burners go hand-in-hand with your gas log set to complete your fireplace conversion. They include the burner assembly, ember bed materials, clamps, connectors, and other hardware. All gas log sets must be used with appropriately sized burners, sold separately (a burner is included with the Campfire log sets). Choose a burner that fits your firebox, keeping in mind the three types of burner lighting systems.

The three different types of burner lighting systems are:

- Matchlight (natural gas only): requires manual lighting each time you start a fire; the absence of valves or controls allows for use of the largest log set possible (no remote available)
- Safety pilot: provides a standing pilot ready for lighting (optional remote kits and log switch kits are available for indoor units)
- IntelliFire[™] ignition system¹: when gas logs are turned on, the pilot lights first then ignites the main burner; when the gas logs are not operating, the pilot also shuts down; uses two D size batteries for operation with remote control option
- Fireside Grand Oak burners are compatible only with Fireside Grand Oak logs
- Duzy burners are compatible only with Duzy logs

STEP 3: SELECT YOUR GAS LOG SET

Pick your favorite design and ask your Heat & Glo dealer to help you make sure it's available in a size that's compatible with your burner. Many different log set designs let you achieve the look you want, in sizes that fit almost any firebox. For the most realistic appearance, we recommend selecting the largest logs your fireplace will accommodate (refer to sizing guide on back of brochure).

SO REAL YOU'LL GRAB A POKER



Grand Oak 24" 2-Tier Log Set

For larger fireplaces, the Fireside Grand Oak vented gas log set showcases 11-12 authentic logs from real oak timber molds. An ultramodern burner system creates a multi-level fire. The Outdoor version has such a beautiful fire, friends may ask if they can add a log to it. For gas logs with radiant burner technology, add outstanding realism with the Duzy 5's eight true-to-life ceramic logs, pushbutton ease and Natural Flame™ look.

Shown Above: Fireside Grand Oak

18", 24" & 30" (2 and 3-tiered burners, 18" only available in 3-tier)

Specifically designed to fill larger fireplaces, this log set easily fills generous hearths.

- 11 authentic-looking logs, molded from real oak timber (12 logs on 30")
- State-of-the-art, tiered burner system creates a multilevel fire
- Hidden controls are easily accessible, won't detract from the fire's authenticity, and allow the log set to fit perfectly centered
- Works with two types of burners: Matchlight (NG only) and IntelliFire IntelliFire intermittent pilot ignition
- · Compatible only with Grand Oak burners

Shown at Right: Duzy 5

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Eight ceramic fiber logs
- Patented Natural Flame stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls
- Millivolt ignition
- Burner sold separately



Duzy 5 - 24" Log Set

THE LOOK OF CLASSIC OAK, SURPRISINGLY AFFORDABLE



Fireside Supreme Oak - 30" Log Set

For a charred, mature fire, the 12-log Fireside Supreme Oak gas log set is stunningly realistic yet affordable. The detailed concrete logs, molded from real oak, are attractive even when not burning—also in a See-Through model that looks great from either side. In the Duzy 3, durable, glowing logs are convincing while radiant heat technology distributes penetrating warmth with no fan needed.

Shown Above: Fireside Supreme Oak

18", 24" & 30" (See-through set in 18" and 24")

Realistically-detailed logs with the appeal of a fully charred, mature fire.

- 12 authentic-looking logs, molded from real oak timber
- Works with two types of burners: Matchlight (NG only) with or without safety pilot
- Burner sold separately

Shown at Right: Duzy 3

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Six refractory cement logs
- Patented Natural Flame stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls
- Millivolt ignition
- Burner sold separately



Duzy 3 - 24" Log Set

FITS YOUR STYLE AND YOUR BUDGET



Fireside Realwood - 24" Log Set

Beautiful logs create a beautiful fire, but they don't have cost a lot. The Fireside Realwood gas log set adds bona fide appearance with eight detailed logs at a value price. An Outdoor model features a stainless-steel grate and burner elements to handle the elements. The Duzy 2 fits even narrow wood-burning fireplaces with four ceramic-fiber logs and our patented Natural Flame stainless steel burner, while the Campfire set recreates a natural look with 10-11 ceramic fiber logs.

Shown Above: Fireside Realwood Oak

18" and 24"

A good look at a great value.

- Eight richly-detailed logs
- Works with two types of burners: Matchlight (NG only) with or without safety pilot
- Burner sold separately

Shown at Right: Duzy 2

24" and 30"

Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces.

- Four ceramic fiber logs
- Patented Natural Flame[™] stainless steel burner
- Up to 17,000 BTUs of radiant heat
- Expertly engineered design prevents heat stress to controls
- · Millivolt ignition
- Burner sold separately



Duzy 2 - 24" Log Set





Campfire - 30" Log Set

Recreate a traditional campfire with 10 or 11 realistic ceramic fiber logs in an 18" or 24" Campfire vented gas log set. With concealed controls, experience a great-looking fire with doors open or closed.


Shown Above: Campfire

18", 24" and 30"

- · Front log conceals and insulates the controls so that the log set can burn with fireplace doors closed
- 18" and 24" sets have 10 fiber logs, 30" set has 11 fiber logs
- All sizes available in Standing Pilot, 24" also available in IntelliFire intermittent pilot ignition
- · Includes burner

BURNER & IGNITION TECHNOLOGY

- Radiant Burner Technology¹ (see image at right) provides the cleanest burn and best heat dispersal with outstanding flame realism.
- Tube Burners² provide a clean burn under one, two or three layers of gas logs for true-to-life performance.
- Sand Pan Burners³ employ sand over a singletube pan for a clean burn, uniform flame and ember glow across the firebed.
- Intermittent Pilot Ignition IPI uses 110V or battery power to monitor safe ignition performance and save on fuel bills.
- Standing Pilot Ignition² known as "Millivolt" ignition, uses a pushbutton to create the spark, lighting the fire allowing the system to generate its own power for operation.
- Matchlight Ignition³ is as the name applies. Available with or without safety pilot. Safety pilot technology automatically shuts off the gas supply if the flame goes out.



SPECIFICATIONS

Select the gas log set that's right for you. For Heat & Glo wood-burning fireplaces, see sizing information provided. Otherwise, measure your fireplace. Next choose a burner that fits. Finally, select your favorite gas log set design.		Heat & Glo Fireplace Models														Min. Fireplace Floor Dimensions			BTU/Hour I nput			
		RH-36	RH-42	EM-415	EM-485T	EXCLAIM-36	EXCLAIM-42	EXCLAIM-50	BAY 40	RUTHERFORD-36	RUTHERFORD-42	RUTHERFORD-50	0DCASTLEWD-42	ODVILLA-36	ODVILLA-42	MONTANA-36	MONTANA-42	Back Width	Depth	Front Width		
Fireside Grand Oak Log Sets	Choos (burne	e your burner moer er includes grate, b	del† (d burner	doors asse	are embl <u>y</u>	requ y, sar	ired t nd/ve	o be ermic	ope ulite	n wh , glov	en bı ving	urnin emb	g) er ma	ateria	al)							
G024	G024MTCH	I-HK					•	•	•										22"	20"	34"	73,000NG
G030	G030MTCH							•	•										29"	20"	40"	80,000NG
6024		NG-HK/G024-IPI-LP-HK																	22"	20"	34"	73,000NG/73,000LP
G030	G030-IPI-	NG-HK/G030-IPI-LP-HK						•	•										29"	20"	40"	80,000NG/73,000LP
50318	G0318-IPI-I	NG-HK/G0318-IPI-LP-HK					•				•								21"	23"	32"	88,000NG/80,000LP
G0324	G0324-IPI-	NG-HK/G0324-IPI-LP-HK						•				•							22"	23"	34"	88,000NG/80,000LP
G0330									•				•						29"	23"	40"	92,000NG/82,000LP
Campfire Log Series	– incluc	les gas log set and	d burr	ier (d	oors	can	be op	oen c	or clc	sed '	wher	n bur	ning)									
FL-18-NG/LP-C					•	•	•	•	•										19-1/2"	13-1/2"	23-1/2"	60,000NG/60,000LP
FL-24-NG/LP-C & CFL-24-IPI-NG/LP							•	•	•										22-1/2"	15-1/2"	27-1/2"	60,000NG/60,000LP
FL-30-NG/LP-C	CFL-30-NG/LP-C																		2.45	45.4/20	70"	CO 000NC (CO 0001D
Duzy Loa Sets		oose your burner																	24"	15-1/2"	30"	60,000NG/60,000LP
	(bı	oose your burner urner includes grat						ed to	be o						erial)				18"	13-1/2"	26"	50,000NG/50,000LP
Duzy Log Sets /DY24/1802A, VDY24/1803R, VDY24/1 /DY3002A, VDY3003R, VDY3005	(bu	urner includes grat	te, bui	rner a			sand	ed tc I/ver	be o		glowi				erial							
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets	(bu) 1805 VDY2 VDY3 Ch (bu)	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP)	te, bui	rner a	• • • • •	nbly, are re	sand • • equire	ed to l/ver	be of micu	open	glowi • • whe	ing e	mber	mat mat					18"	13-1/2"	26"	50,000NG/50,000LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow*	(bu) 1805 VDY2 VDY3 Ch (bu)	urner İncludes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) Oose your burner	te, bui	rner a	• • • • •	nbly, are re	sand • • equire	ed to l/ver	be of micu	open	glowi • • whe	ing e	mber	mat mat					18"	13-1/2"	26"	50,000NG/50,000LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow* ireside Supreme Oak	(bu 18D5 VDY2 VDY3 Ch	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) 0NVP (NG) VDY30PVP (LP) 00se your burner urner includes grat	e, bui	rner a	• • • • • • • • • •	onbly, are re	• equire	ed to l/ver	be comicu	open	glowi • • whe	ing e	mber	mat mat					18"	13-1/2" 13-1/2"	26" 32"	50,000NG/50,000LP 65,000NG/65,000LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow* ireside Supreme Oak	(bu) 1805 VDY2 VDY3 Ch (bu)	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) Oose your burner urner includes grat MHK18NG	mode te, bui	ther a	• • oors	nbly, are renbly,	• equire sand	ed to	be of micu	open	glowi • • whe	ing e	mber	mat mat					18" 24"	13-1/2" 13-1/2"	26" 32"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow* ireside Supreme Oak	(bu) 1805 VDY2 VDY3 Ch (bu)	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) Oosse your burner urner includes grat MHK18NG MHK24NG	mode te, bui	rner a	oors	nbly, are renbly,	equire sand	ed to	be of micu	open	glowi • • whe	ing e	mber	mat mat					18" 24"	13-1/2" 13-1/2" 14" 16"	26" 32" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets below* ireside Supreme Oak S018, FS024, FS030	(bu VDY2 VDY3 Ch (bu tight) The tight volume of the tight) The tight volume of tight volume of the tight volume of the tight volume of tight volume of tight volume of the tight volume of tight volum	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE your burner urner includes grat MHK18NG MHK24NG SP18NG	mode te, bui	rner a	oors asser	nbly, are renbly,	equire sand	ed to	be of micu	open	glowi • • whe	ing e	mber	mat mat					18" 24" 16" 18"	13-1/2" 13-1/2" 14" 16" 14"	26" 32" 28" 34" 28"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* ireside Supreme Oak SSO18, FSO24, FSO30	(bu VDY2 VDY3 Ch (bu tight) The tight volume of the tight) The tight volume of tight volume of the tight volume of the tight volume of tight volume of tight volume of the tight volume of tight volum	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) Oose your burner urner includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG	mode te, bui	rner a	oors asser	nbly, are renbly,	equire sand	ed tc	be comicu	open	glowi • • whe	ing e	mber	mat mat					18" 24" 16" 18" 16" 16"	13-1/2" 13-1/2" 14" 16" 14" 14"	26" 32" 28" 34" 28" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* ireside Supreme Oak SSO18, FSO24, FSO30	(bu) 1805 VDY2 VDY3 Ch (bu)	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner urner includes grat MHK18NG MHK24NG SPIBLP SP24NG SP24LP	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be comicu	open	glowi • • whe	ing e	mber	mat mat					18" 24" 16" 18" 16" 18"	13-1/2" 13-1/2" 14" 16" 14" 14" 16"	26" 32" 28" 34" 28" 28" 34" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* ireside Supreme Oak SO18, FS024, FS030 ireside Realwood RW118	(bu VDY2 VDY3 Ch (bu tight) The tight volume of the tight) The tight volume of tight volume of the tight volume of the tight volume of tight volume of tight volume of the tight volume of tight volum	4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE your burner urner includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be comicu	open	glowi • • whe	ing e	mber	mat mat					18" 24" 16" 18" 16" 16" 18" 24"	13-1/2" 13-1/2" 14" 16" 14" 16" 16"	26" 32" 28" 34" 28" 28" 34" 34" 42"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* ireside Supreme Oak SO18, FS024, FS030 ireside Realwood RW118	(bu VDY2 VDY3 Ch (bu tight) The tight volume of the tight) The tight volume of tight volume of the tight volume of the tight volume of tight volume of tight volume of the tight volume of tight volum	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE your burner urner includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber	mat mat	erial.				18" 24" 16" 18" 16" 18" 24" 24"	13-1/2" 13-1/2" 14" 16" 16" 16"	26" 32" 28" 34" 28" 34" 34" 42"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* ireside Supreme Oak S018, FS024, FS030 ireside Realwood RW118 RW124	(bu VDY2 VDY3 Ch (bu tubilyarw toll A hajes	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner urner includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP OD-18NG	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber	mat mat			•		18" 24" 16" 18" 16" 18" 24" 24" 16"	13-1/2" 13-1/2" 16" 16" 16" 16" 16" 16"	26" 32" 28" 34" 28" 34" 42" 42" 28"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 80,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* Great Supreme Oak SO18, FS024, FS030 Great Realwood GRW118 GRW124 Great Realwood Outdoor RW118	(bu VDY2 VDY3 Ch (bu tubilyarw toll A hajes	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner urner includes grat MHK18NG MHK24NG SP18NP SP24NG SP24LP SP30NG SP30NP OD-18NG OD-24NG	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber	mat mat	erial				18" 24" 16" 18" 16" 18" 24" 24" 16" 18" 24" 16" 18"	13-1/2" 13-1/2" 14" 16" 14" 16" 16" 16" 16" 16"	26" 32" 28" 34" 28" 34" 42" 42" 42" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow* ireside Supreme Oak SO18, FSO24, FSO30 ireside Realwood RWI18 RWI24	(bu VDY2 VDY3 Ch (bu tight) The tight volume of the tight) The tight volume of tight volume of the tight volume of the tight volume of tight volume of tight volume of the tight volume of tight volum	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner WHK18NG MHK24NG SP18NG SP18NP SP24NG SP24NG SP24NP SP30NG SP30LP OD-18NG ODSP-18LP	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber	mat mat	erial.	•	•		18" 24" 16" 16" 16" 18" 24" 24" 16" 18" 16"	13-1/2" 13-1/2" 14" 16" 14" 16" 16" 16" 16" 16" 14"	26" 32" 28" 34" 28" 34" 42" 42" 42" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 60,000 LP 62,000 NG 69,000 NG 55,000 LP
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets pelow* ireside Supreme Oak SO18, FSO24, FSO30 ireside Realwood RWI18 RWI24	(bu VDY2 VDY3 Ch (bu tubilyarw toll A hajes	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner Includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP OD-18NG ODSP-18LP ODSP-18LP	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber) mat	erial				18" 24" 16" 18" 16" 18" 24" 16" 18" 18" 16" 18" 18"	13-1/2" 14" 16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16"	26" 32" 28" 34" 28" 34" 42" 42" 42" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 60,000 LP 62,000 NG 69,000 NG 69,000 NG 69,000 NG
IDY24/18D2A, VDY24/18D3R, VDY24/1 IDY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets oelow* Fireside Supreme Oak SO18, FS024, FS030 Fireside Realwood FRW118 FRW124 Dutdoor Grand Oak	(bu tubilyateM tolid via volume volum	A/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner urner includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP OD-18NG OD-24NG ODSP-18LP ODSP-18LP OGG324-MT(H-HK	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber) mat	erial	•			18" 24" 16" 16" 18" 24" 24" 16" 18" 24" 16" 18" 22"	13-1/2" 13-1/2" 14" 16" 14" 16" 16" 16" 16" 16" 16" 23"	26" 32" 28" 34" 28" 28" 34" 42" 42" 42" 28" 34" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 60,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 69,000 NG 69,000 NG
DY24/18D2A, VDY24/18D3R, VDY24/1 DY30D2A, VDY30D3R, VDY30D5 Choose from styles and sizes of log sets below ireside Supreme Oak SO18, FS024, FS030 ireside Realwood RWI18 RWI124 ireside Realwood Outdoor RWI18 RWI124	(bu VDY2 VDY3 Ch (bu tubilyarw toll A hajes	urner includes grat 4/18NVP (NG) VDY24/18PVP (LP) ONVP (NG) VDY30PVP (LP) OOSE YOUR burner Includes grat MHK18NG MHK24NG SP18NG SP18LP SP24NG SP24LP SP30NG SP30LP OD-18NG ODSP-18LP ODSP-18LP	mode te, bui	ther a	oors asser	are renbly,	equire sand	ed to	be (micu	open	glowi • • whe	ing e	mber) mat	erial	•			18" 24" 16" 18" 16" 18" 24" 16" 18" 18" 16" 18" 18"	13-1/2" 14" 16" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16"	26" 32" 28" 34" 28" 34" 42" 42" 42" 28" 34"	50,000NG/50,000LP 65,000NG/65,000LP 65,000NG/65,000LP 74,000 NG 84,000 NG 40,000 LP 67,000 NG 40,000 LP 80,000 NG 60,000 LP 62,000 NG 69,000 NG 69,000 NG

^{† 18&}quot; log sets fit 18" burners, 24" log sets fit 24" burners, 30" log sets fit 30" burners. *Control (sold separately) must be ordered for operation

 $KEY: MHK \ or \ MTCH=Match light-requires \ manual \ lighting \ (NG \ only), SP=Safety \ Pilot-provides \ standing \ pilot \ for \ easy \ lighting, \ IPI=IntelliFire \ lighting, \ System \ only), SP=Safety \ Pilot-provides \ standing \ pilot \ for \ easy \ lighting, \ IPI=IntelliFire \ lighting, \ lighting, \ IPI=IntelliFire \ lighting, \ lighting, \ IPI=IntelliFire \ lighting, \ light$



1. The IntelliFire Ignition System (IPI) is an advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.

The information provided in this literature is for planning purposes only. Please consult the installation manual for actual installation. Actual product appearance, including flame, may differ from product images. Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury. For full warranty details, go to heatnglo.com. ©2021 Hearth & Home Technologies Inc.



